

A

**Attorney Docket No. P2029**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

jc812 U.S. PRO  
09/653145  
08/31/00

## **CERTIFICATE OF EXPRESS MAILING**

I hereby certify that this paper and the documents and/or fees referred to as attached therein are being deposited with the United States Postal Service on August 31, 2000 in an envelope as "Express Mail Post Office to Addressee" service under 37 CFR § 1.10, Mailing Label Number EL391268804US, addressed to Assistant Commissioner of Patents, Washington, DC 20231.

~~Steve S. Cha~~

**UTILITY PATENT APPLICATION TRANSMITTAL (37 CFR § 1.53(b))**

Assistant Commissioner for Patents  
Box Patent Application  
Washington, D.C. 20231

Transmitted herewith for filing is the patent application under 37 CFR § 1.53(b) in the name of inventor(s) of:

Kyung-Soon Jang

For: METHOD OF MANAGING ADDITIONAL SERVICE INFO OF SUBSCRIBER IN MOBILE  
COMMUNICATION SYSTEM

Enclosed are:

**Application Elements:**

- ☒ 2 copies each of 3\_ sheets of informal drawing(s).
- ☒ Assignment of the invention to: SAMSUNG ELECTRONIC CO., LTD.
- ☒ Specification, Claims, and Abstract: Nr. of sheets: 16
- ☒ A copy of combined declaration and power of attorney

**Accompanying Application Parts:**

- ☒ A check\* 1857 in the amount of \$690.00 for filing fee
- ☒ A Return Receipt Postcard
- ☒ Assignment and Assignment Recordation Cover Sheet (recording fee of \$40.00 enclosed)

- ☒ Claim of priority under 35 U.S.C. §119 and a copy of certified Korean Patent Application.
- ☐ Information disclosure statements: Nr. of sheets: 3
- ☐ Preliminary Amendment
- ☐ Small Entity Statement(s)
- ☐ Other:

The filing fee has been calculated as shown below (37 CFR §1.16):

For:	No. Filed	No.Extra	Rate(Small Entity)	Fee(Small Entity)
Basic Fee	20 claims			\$ 690.00
Total Claims	14 claims – 20 =	0	\$18(\$9)/claim	\$ 0.00
Independent Claims	2 claims – 3 =	0	\$78(39)/claim	\$ 0.00
Multiple Dep.Claims			\$130(65)/claim	\$ 0.00
Total Filing Fee				\$ 690.00


General Authorization for Petition for Extension of Time (37 CFR §1.136)

Applicant hereby make and generally authorize any Petitions for Extensions of Time as may be needed for any subsequent filings.

Should the enclosed check become lost or detached from the file, Assistant Commissioner is authorized to charge our Deposit Account No. 50-1005 and advise the undersigned attorney accordingly. Also, should the enclosed check be deemed to be deficient or excessive in payment, the Commissioner is authorized to charge or credit our deposit account and notify the undersigned attorney of any such transaction.

In view of the above, it is respectfully requested that this application be accorded a filing date pursuant to 37 C.F.R. §1.53(b).

Mailed: August 31, 2000

  
 Steve S. Cha, Registration No. 44,069  
 Attorney for Applicant(s)

Please address all Correspondence to:

**Steve S. Cha, Esq.**  
 67 Wall Street #2211  
 New York, NY 10005-3198  
 Tel: (212) 968-7101  
 Fax: (212) 968-7105

**Customer No:022491**



**22491**

PATENT, TRADEMARK OFFICE

007220" STEE060

**METHOD OF MANAGING ADDITIONAL SERVICE INFORMATION OF A**  
**SUBSCRIBER IN A MOBILE COMMUNICATION SYSTEM**

**CLAIM OF PRIORITY**

5 This application makes reference to and claims all benefits accruing under 35  
U.S.C. Section 119 from an application entitled, "Method of Managing Additional Service  
Information of Subscriber in Mobile Communication System", filed in the Korean  
Industrial Property Office on August 31, 1999 and there duly assigned Serial No. 99-36616.

**BACKGROUND OF THE INVENTION**

**1. Field of the Invention**

10 The present invention relates generally to a Code Division Multiple Access  
15 (CDMA) communication system. More particularly, the present invention relates to a  
method for efficiently managing additional service information of a subscriber between the  
mobile switching center (MSC) and the home location register (HLR).

**2. Description of the Related Art**

20 In order to initiate various service features provided in a mobile communication  
system, a subscriber usually presses one of the predetermined keys (e.g., \* + digits + SEND  
key) to activate/deactivate additional service functions (i.e., call forwarding, voice mailing

service, three way calling, etc.). In response to such commands, an Access Switching Processor (ASP) 111, which is provided in the originating MSC 110 to perform the message transmission to process the mobile call and manage the state management of the subscriber, transmits a feature request (FEATREQ) 210 message consisting of MIN, ESN, digits, MSCID, and other parameters relating to the subscriber, to the HLR 120. As shown in FIG. 2, the HLR 120 searches its own database based on the key input pressed by the subscriber to determine whether the requesting subscriber is registered for the additional service function. If the requesting subscriber is not registered for the additional service, the HLR 120 transmits a FEATREQ RESPONSE message 220 notifying the ASP 111 accordingly using the Announcement\_List parameter of the FEATREQ RESPONSE message 220.

On the other hand, if the subscriber is registered to receive the additional service function, the HLR 120 updates additional service information of the subscriber in the database and transmits a FEATREQ RESPONSE message 220, which includes the parameters of Announcement\_List and FeatureResult to the ASP 111. Then, the HLR 120 transmits a qualification directive (QUALDIR) message 230, which contains the parameters of MIN, ESN, CFI (Calling Feature Request), and etc., to a Visitor Location Register (VLR) 112 of the originating MSC to transfer the updated information of the subscriber in the VLR 112. Upon receipt of the QUALDIR message 230, the VLR 112 updates the subscriber information received from the HLR 120 and transmits a qualification directive (qualdir) response message to notify the completion of an update to the HLR 120.

As stated above in the conventional method, the HLR and the MSC together manage information necessary to activate/deactivate the additional service function during a maintenance & repair (MAP) procedure between the MSC and the HLR.

5       The HLR transmits a QUALDIR message to the MSC either when the OMP of the HLR changes the additional service information of the subscriber or when the MSC transmits the FEATREQ message to the HLR in response to the user's request. More frequent changes in requesting for different services through the HLR are usually initiated by the subscribers then the operator.

10       Therefore, the transmission of FEATREQ RESPONSE message 220 in response to the FEATREQ message 210 for activation/deactivation of the additional service, and the QUALDIR message for updating database of the VLR of the originating MSC by the HLR are inefficiently performed in the current procedure. As the maintenance & repair  
15       procedure is complicated by multiple execution steps, errors are more likely to happen. Consequently, in the event that errors occur between the HLR and the MSC, reliable subscriber information can not be provided between the systems. Therefore, the present invention proposes a more efficient way to simplify the maintenance & repair procedure.

## SUMMARY OF THE INVENTION

It is, therefore, an object of the present invention to provide a method of activating/deactivating subscriber additional service information in fewer steps in a mobile communication system.

It is another object of the present invention to provide a method of reducing an error rate in processing subscriber additional service information in a mobile communication system.

It is a further object of the present invention to provide a method of ensuring subscriber information to be reliably provided in a mobile communication system.

The above objects can be achieved by providing a method of managing additional service information of a subscriber in a mobile communication system. The ASP of an originating MSC requests the HLR to change the additional service information of a subscriber. The HLR updates the additional service information and transmits the update result to the ASP. The ASP receives the updated information from the HLR and in turn requests the VLR to obtain the updated information of the subscriber. The VLR updates to the newly changed additional service information of the subscriber and transmits the update completion message to the ASP.

## BRIEF DESCRIPTION OF THE DRAWINGS

The above and other objects, features, and advantages of the present invention will become more apparent from the following detailed description when taken in conjunction  
5 with the accompanying drawings in which:

FIG. 1 is a schematic view of a mobile communications system to which the present invention is applied;

10 FIG. 2 is a signal flow illustrating the conventional procedure of managing information about activation/deactivation of the subscriber additional service between the MSC and the HLR; and,

15 FIG. 3 is a signal flow illustrating the procedure of managing information about activation/deactivation of the subscriber's additional service between the MSC and the HLR according to the present invention.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A preferred embodiment of the present invention will be described hereinbelow with reference to the accompanying drawings. For the purpose of clarity, well-known functions or constructions are not described in detail as they would obscure the invention in unnecessary detail.

FIG. 3 is a signal flow illustrating a procedure of managing the additional service of a subscriber between the MSC and the HLR according to the present invention.

Referring to FIGs. 1 and 3, the subscriber presses a corresponding key or keys in combination to activate/deactivate additional service functions (i.e., call forwarding, voice mailing service, three way call, calling number identification feature, etc.) in a radio terminal 100. Then, the ASP 111 of the originating MSC 110 transmits a FEATREQ 310 message containing the parameters of MIN, ESN, digits, MSCID, and so on as listed in Table 1, to the HLR 120.

(Table 1)

parameters	usage	type
MIN	Mobile station identification number.	M
ESN	Mobile station electronic serial number.	M



BILLID	Call ID. Used for billing and redirecting/hard handoff purposes in call routing.	M
DGISDIAL	Feature code string entered by the mobile station.	M
TRANSCAP	Indicates the currently serving MSC system's transaction capability.	M
OTFI	Indicates the current feature activation status.	O

The HLR 120 searches database based on the key input pressed by the subscriber to determine whether the requested additional service function has been registered for the subscriber. After the HLR 120 updates the additional service information (i.e., call forwarding, voice mailing service, three way calling, calling number identification feature, etc.) of the subscriber based on the received key information, the HLR 120 transmits a FEATREQ Response message 320, which includes the QUALCODE and other parameters as defined in Table 2, to the ASP 111.

(Table 2)

parameters	usage	type
MIN	Mobile station identification number.	O
ESN	Mobile station electronic serial number.	O
FEATRESULT	When a FeatureRequest is received, the FeatureResult transmits ACK/NACK to the MSC.	M

ACTCODE	Treatment defining the content which should be performed for the subscribers. If not included, treatment is based on FEATRESULT value.	O
ANNLIST	List of tones or announcements are transmitted according to the ANNLIST parameter. If the ANNLIST is not included, the tones or announcements are transmitted according to the FEATRESULT value.	M
QUALCODE	Type of qualification = validation only  According to the value defined in the type of qualification, the MSC updates the database of the requesting subscriber.	O
AUTHDEN	Authorization denied indication and the reason for a denial.	O
DENAUTHPER	Indicates the duration of time period for suppressing the re-registrations of the unauthorized MS and for obtaining authorization information from the HLR by the MSC.	O

QUALCODE, AUTHEN, and DENAUTHPER included in QUALIFICATION\_DIRECTIVE are additionally defined as parameters of FEATREQ in the present invention.

If the additional service has not been registered for the subscriber, the HLR 120 transmits a FEATREQ Response message 320 notifying the ASP 111 of such determination using the Announcement\_List parameter. On the other hand, if the additional service function has been registered for the subscriber, the HLR 120 updates the additional service information for the subscriber and transmits the FEATREQ Response message 320, which includes the parameters of Announcement\_List, FeatureResult, QUALCODE, and etc., to the ASP 111.

The ASP 111 transmits a command Profile\_Update\_Request 330 to the VLR 112 to update the subscriber information as defined by the QUALCODE parameter of the FEATREQ Response message. The VLR 112 updates the profile information received from the ASP 111 in the subscriber database and transmits a command Profile\_Update\_Complete 340 to notify the update completion the ASP 111.

As is apparent from the foregoing, the present invention has an advantage in that upon receipt of the FETREQ message for activation/deactivation of the additional service function of the subscriber, the HLR transmits a FEATREQ Response message including the QUALCODE as an additional optional parameter to the originating MSC in such way that the conventional FEATREQ signal can still be used for controlling the additional service function. Moreover, No. 7 traffic is reduced by decreasing the number of conventional maintenance and repair (MAP) operations to one step, thereby increasing the system efficiency. Furthermore, since the MAP operation is simplified compared to the

conventional system, an error rate is reduced and a more reliable subscriber information management is ensured between the HLR and the MSC. As a result, the present invention will further improve the maintenance and repair (MAP) operation in terms of the system performance and the system efficiency in the current mobile communication system.

5

While the invention has been shown and described with reference to a certain preferred embodiment thereof, it will be understood by those skilled in the art that various changes in form and detail may be made therein without departing from the spirit and the scope of the invention as defined by the appended claims.

**WHAT IS CLAIMED IS:**

1. A method of managing additional service information of a subscriber of a mobile station in a mobile communication system, comprising the steps of:

transmitting from an originating mobile switching center (MSC) to a home location register (HLR) a request message for activation/deactivation of said additional service information;

updating said additional service information by said HLR; and,

transmitting from said HLR to a visitor location register (VLR) of said originating MSC a response message responsive to said request message, said response message includes said updated information of said subscriber.

2. The method according to Claim 1, further comprising the step of verifying whether said subscriber is registered for said additional service information in response to said request message received by said HLR.

3. The method according to Claim 2, further comprising the step of notifying said originating MSC if said subscriber is not registered for said additional service information via said response message.

4. The method according to Claim 1, wherein said additional service information includes a call forwarding request, a voice mail request, a three way calling request, and a caller identification feature request.

5. The method according to Claim 1, wherein said request message comprises:  
a mobile station identification number (MIN);  
a mobile station serial identification number (ESN); and,  
5 said MSC identification number.

6. The method according to Claim 5, wherein said request message further  
comprises:

feature code input information of said mobile station inputted by said subscriber;  
10 said originating MSC capability; and,  
current feature activation status information.

7. The method according to Claim 1, wherein said response message having a  
preselected set of message types comprises:

15 a mobile station identification number (MIN);  
a mobile station serial identification number (ESN);  
qualification information for said MSC to update the information of said subscriber;  
authorization notification for indicating reasons for denying the activation of said  
additional service information of said subscriber by said HLR; and,  
20 de-authorization notification for suppressing a re-registr of said denied subscriber  
for a predetermined time period.

8. A method of managing additional service information of a subscriber in a mobile communication system, comprising the steps of:

transmitting from an access switching processor (ASP) of an originating mobile switching center (MSC) to a home location register (HLR) coupled to said MSC a request message to change the additional service information of said subscriber;

updating said additional service information by said HLR in response to said request message;

transmitting from said HLR to said ASP a response message responsive to said request message, said response message includes said updated information;

transmitting from said ASP to a visitor location register (VLR) coupled to said MSC said updated information received from said HLR; and,

transmitting an update completion message to said ASP to notify the receipt of said updated information by said VLR.

9. The method according to Claim 8, further comprising the step of verifying whether said subscriber is registered for said additional service information.

10. The method according to Claim 9, further comprising the step of notifying said originating MSC if said subscriber is not registered for said additional service information via said response message.

11. The method according to Claim 8, wherein said request message comprises:  
a mobile station identification number (MIN);  
a mobile station serial identification number (ESN); and,  
said MSC identification number.

5

12. The method according to Claim 8, wherein said request message further  
comprises:

feature code input information of said mobile station inputted by said subscriber;  
said originating MSC capability; and,  
current feature activation status information.

10

13. The method according to Claim 8, wherein said response message having a  
preselected set of message types comprises:

a mobile station identification number (MIN);  
a mobile station serial identification number (ESN);  
qualification information for said MSC to update the information of said subscriber;  
authorization notification for indicating reasons for denying the activation of said  
additional service information of said subscriber by said HLR; and,  
de-authorization notification for suppressing a re-registry of said denied subscriber  
for a predetermined time period.

15

20



14. The method according to Claim 8, wherein said additional service information includes a call forwarding request, a voice mail request, a three way calling request, and a caller identification feature request.

## ABSTRACT OF THE DISCLOSURE

A method of managing additional service information of a subscriber in a mobile communication system. An access switching processor (ASP) in the originating exchange requests a home location register (HLR) to change the additional service information of the subscriber. The HLR updates the additional service information and transmits the result of the updating of the additional service information to the ASP. The ASP receives the updating result from the HLR and requesting a visitor location register (VLR) to update the additional service information of the subscriber. The VLR updates the additional service information and transmits the result of the updating to the ASP.




FIG. 1




FIG. 2




FIG. 3

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: Kyung-Soon Jang

Serial No: *Not yet assigned.*

Examiner: *Not yet assigned.*

Filed: August 31, 2000

Group: *Not yet assigned.*

For: METHOD OF MANAGING ADDITIONAL SERVICE INFO OF SUBSCRIBER IN  
MOBILE COMMUNICATION SYSTEM

**TRANSMITTAL OF DECLARATION**

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

This transmittal accompanies a fax copy of Declaration with the signature by the inventors, for the above-captioned application. A substitute Declaration with the inventors' signature will be filed upon receipt of the Serial No. for the above-captioned application.

Respectfully submitted,



Steve S. Cha  
Attorney for the Applicant  
Registration No.: 44,069

67 Wall Street #2211  
New York, NY 10005-3198  
(212) 968-7101

Date: August 31, 2000

007E20 "CHT E2960

PTO/SB/02B

Customer No.:022491

Docket No.: P2029

**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor (s), I hereby declare that

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Method of managing additional service information of a  
subscriber in a mobile communication system

, the specification of which is attached hereto under the following box I checked:

☐ was filed on \_\_\_\_\_ as United States Application Number or PCT International Application Number \_\_\_\_\_ and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulation, § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor=s certificate listed below and have also identified below any foreign application for patent or inventor=s certificate having a filing date before that of the application on which priority is claimed.

**Prior Foreign Application(s)**

<u>1999-36616</u> (Number)	<u>Republic of Korea</u> (Country)	<u>5/08/1999</u> (Day/Month/Year Filed)	Priority Claimed <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/> Yes <input type="checkbox"/> No

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims in this application is not disclosed in the prior United States application in the manner provided by the first paragraph of § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulation, § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of this application.


_____ (Application Number)	_____ (Filing Date)	_____ (Status - patented, pending, abandoned)
_____ (Application Number)	_____ (Filing Date)	_____ (Status - patented, pending, abandoned)

09653145 "083100





United States Patent & Trademark Office  
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☐ Page(s) \_\_\_\_\_ of \_\_\_\_\_ were not present  
for scanning. (Document title)

☒ Scanned copy is best available. *Declaration*

---